

CANOPUS

Canopy Light



# APPLICATION

Gas Stations, Factories, Industrial Areas, Shopping Centers, Green Houses, Farms



# FEATURES

Canopus Family has a fixture designed for Harsh and Hot environments

The product used as pure light source, using LED technology. Human and environment friendly, no PB, Hg nor UV which may harm the human and the environment.

High power saving fixture, no decay and color temperature shift.

Can be dimmable (through direct control or via network) and not dimmable.






# Canopus Canopy

## PRODUCT DETAILS

Family Name	Canopus
Part Number	CAN-UCAN-V2-100-XX
Materials	Aluminum, Pc and Eco- Friendly materials
Humidity	10 - 80%
Storage Power	100W
Color Rendering Index CRI	80%
Beam Angle	90° x 90°
Storage Temperature	- 40 - +85°C
IP Rating	IP67
Lifespan	50,000 Hours
Lumen/Watt	150/160 Lm/ W
Input	220 VAC / 50- 60Hz
Power Factor Correction PFC	>.90
LEDs	SMD 3030, Philips / Nichia
Flux	15000 Lum
Correlated Color Temperature CCT	5700/ 4000 / 3000
Warranty	Up to 5 Years

## FEATURES

- ◆ Fixture designed for Harsh and hot environments.
- ◆ High lumen output.
- ◆ Power saving as it replace the Sodium, metal halide so it save between 50% to 75% of the consumed power.
- ◆ Unlimited numbers of on/off switching cycles.
- ◆ Aluminum heat dissipation module has surface anodic oxidation process to make it very resistant and anti-aging fixture
- ◆ Over temperature protection, Overload protection, Short-circuit protection, and No-load protection
- ◆ The Driver is included and it is IP65, and PF>0.9.
- ◆ Dimmable option available with different control options Long life 50000 Hours.
- ◆ Up to five years warranty.



100w  
15000LM

3000K  
5700K

90 / 90

50 000  
Hours

CRI  
> 80

IP 67

RAL  
9016

Up to  
5 Year  
Guarantee

## PRODUCT APPLICATION


Gas Station, Factory, Industrial Area, Shopping Center, Green House, Football field, Car Park, Warehouse, General Lighting etc...



### PRODUCT DIMENSION

Model	A mm	H mm	B mm
CAN-UCAN-V2-100-XX	335	335	70

## BEAM ANGLE



Order Code	Color Temperature	LED Power
CAN-UCAN-V2-100-3000	3000K	100W
CAN-UCAN-V2-100-4000	4000K	100W
CAN-UCAN-V2-100-5700	5700K	100W






# Canopus Canopy

## PRODUCT DETAILS

Family Name	Canopus
Part Number	CAN-UCAN-V2-125-XX
Materials	Aluminum, Pc and Eco- Friendly materials
Humidity	10 - 80%
Storage Power	125W
Color Rendering Index CRI	80%
Beam Angle	90° x 90°
Storage Temperature	- 40 - +85°C
IP Rating	IP67
Lifespan	50,000 Hours
Lumen/Watt	150/160 Lm/ W
Input	220 VAC / 50- 60Hz
Power Factor Correction PFC	>.90
LEDs	SMD 3030, Philips / Nichia
Flux	18750 Lum
Correlated Color Temperature CCT	5700/ 4000 / 3000
Warranty	Up to 5 Years

## FEATURES

- ◆ Fixture designed for Harsh and hot environments.
- ◆ High lumen output.
- ◆ Power saving as it replace the Sodium, metal halide so it save between 50% to 75% of the consumed power.
- ◆ Unlimited numbers of on/off switching cycles.
- ◆ Aluminum heat dissipation module has surface anodic oxidation process to make it very resistant and anti-aging fixture
- ◆ Over temperature protection, Overload protection, Short-circuit protection, and No-load protection
- ◆ The Driver is included and it is IP65, and PF>0.9.
- ◆ Dimmable option available with different control options Long life 50000 Hours.
- ◆ Up to five years warranty.



125w  
18750LM

3000K  
5700K

90 / 90

50 000  
Hours


CRI  
> 80

IP 67

RAL  
9016

Up to  
5 Year  
Guarantee

## BEAM ANGLE



## PRODUCT APPLICATION

Gas Station, Factory, Industrial Area, Shopping Center, Green House, Football field, Car Park, Warehouse, General Lighting etc...



PRODUCT DIMENSION			
Model	A mm	H mm	B mm
CAN-UCAN-V2-125-XX	335	335	70

Order Code	Color Temperature	LED Power
CAN-UCAN-V2-125-3000	3000K	125W
CAN-UCAN-V2-125-4000	4000K	125W
CAN-UCAN-V2-125-5700	5700K	125W